

DAFTAR PUSTAKA

- Ageberg, E. *et al.* (2010a) '510 Feasibility of Neuromuscular Training in Patients With Severe Hip or Knee Osteoarthritis', *Osteoarthritis and Cartilage*, 16, p. S219. doi: 10.1016/s1063-4584(08)60549-x.
- Ageberg, E. *et al.* (2010b) 'Feasibility of Neuromuscular Training in Patients With Severe Hip or Knee Osteoarthritis', *Osteoarthritis and Cartilage*, 16, p. S219. doi: 10.1016/s1063-4584(08)60549-x.
- Ageberg, E. and Roos, E. M. (2015) 'Neuromuscular exercise as treatment of degenerative knee disease', *Exercise and Sport Sciences Reviews*, 43(1), pp. 14–22. doi: 10.1249/JES.0000000000000030.
- Ahmad, I. W., Rahmawati, L. D. and Wardhana, T. H. (2018) 'Demographic Profile , Clinical and Analysis of Osteoarthritis Patients in Surabaya', 01(01), pp. 34–39.
- Alnahdi, G. H. (2015) 'Single-subject designs in special education: Advantages and limitations', *Journal of Research in Special Educational Needs*, 15(4), pp. 257–265. doi: 10.1111/1471-3802.12039.
- Amirullah, SE., M. . (2015) 'Populasi dan sampel'.
- Anjum, Z. and Abbas, S. R. (2016) 'Osteoarthritis, classification, prevalence and risk factors', (December).
- Braun, H. J. and Gold, G. E. (2012) 'Diagnosis of osteoarthritis : Imaging', *Bone*. Elsevier Inc., 51(2), pp. 278–288. doi: 10.1016/j.bone.2011.11.019.
- Clausen, B., Holsgaard-Larsen, A. and Roos, E. M. (2017) 'An 8-week neuromuscular exercise program for patients with mild to moderate knee osteoarthritis: A case series drawn from a registered clinical trial', *Journal of Athletic Training*, 52(6), pp. 592–605. doi: 10.4085/1062-6050-52.5.06.
- D, G. P. and Twinkle, D. (2017) 'Efficacy of Neuromuscular Training on Pain, Balance and Function in Patients with Grade I and II Knee Osteoarthritis', *Journal of Exercise Science and Physiotherapy*, 13(2). doi: 10.18376/jesp/2017/v13/i2/111281.
- El-Gilany, A.-H. (2018) 'What is case report ? Asploro Journal of Biomedical and Clinical Case Reports What is case report ?', (August).
- Hafez, A. R. and Mohammed, A. (2019) 'Knee Osteoarthritis : A Review of Literature Physical Medicine and Rehabilitation - Knee Osteoarthritis : A Review of Literature', (February).
- Holsgaard-Larsen, A. *et al.* (2018) 'One year effectiveness of neuromuscular exercise compared with instruction in analgesic use on knee function in

- patients with early knee osteoarthritis: the EXERPHARMA randomized trial', *Osteoarthritis and Cartilage*. Osteoarthritis Research Society International, 26(1), pp. 28–33. doi: 10.1016/j.joca.2017.10.015.
- Iversen, M. D. *et al.* (2016) 'Physical examination findings and their relationship with performance-based function in adults with knee osteoarthritis', *BMC Musculoskeletal Disorders*. BMC Musculoskeletal Disorders. doi: 10.1186/s12891-016-1151-3.
- Kingma, I., Aalbersberg, S. and Dieen, J. H. Van (2004) 'Are hamstrings activated to counteract shear forces during isometric knee extension efforts in healthy subjects?', *Journal of Electromyography and Kinesiology*, 14, pp. 307–315. doi: 10.1016/j.jelekin.2004.01.003.
- Kisner, C. and Colby, L. A. (2012) *Therapeutic Exercise Foundations and Technique: Sixth Edition*. Philadelphia: Elsevier Inc.
- Oyedokun, A. and Adeloje, D. (2016) 'Clinical history-taking and physical examination in medical practice in Africa : still relevant?', (7), pp. 605–607.
- Pratama, A. D. (2019) 'RSPAD GATOT SOEBROTO Abstrak Jurnal Sosial Humaniora Terapan', *Jurnal Sosial Humaniora Terapan*, 1(2), pp. 21–34.
- Profession, H. (2018) *Guideline for the management of knee and hip osteoarthritis*.
- Sandal, L. F. *et al.* (2016) 'Pain trajectory and exercise-induced pain flares during 8 weeks of neuromuscular exercise in individuals with knee and hip pain', *Osteoarthritis and Cartilage*. Elsevier Ltd, 24(4), pp. 589–592. doi: 10.1016/j.joca.2015.11.002.
- Schencking, M. *et al.* (2009) 'A comparison of Kneipp hydrotherapy with conventional physiotherapy in the treatment of osteoarthritis of the hip or knee: Protocol of a prospective randomised controlled clinical trial', *BMC Musculoskeletal Disorders*, 10(1), pp. 1–10. doi: 10.1186/1471-2474-10-104.
- Silva, J. M. de S. *et al.* (2018) 'Muscle wasting in osteoarthritis model induced by anterior cruciate ligament transection', *PLOS ONE journal*, 13(4), pp. 1–17.
- Smith, S. (2018) 'Article type : Original Article 1'. doi: 10.1002/acr.23688.
- Song, S. J. *et al.* (2018) 'Noise around the Knee', pp. 1–8.
- Syatibi, M. M. and Suhardi, S. (2016) 'Manipulasi Organ Golgi Tendon Untuk Mengurangi Tingkat Spastisitas Otot-Otot Penggerak Lengan Pasca Stroke Infark', *Jurnal Keterampilan Fisik*, 1(1), pp. 15–20. doi: 10.37341/jkf.v1i1.63.

- Villadsen, A. *et al.* (2014) 'Immediate efficacy of neuromuscular exercise in patients with severe osteoarthritis of the hip or knee: A secondary analysis from a randomized controlled trial', *Journal of Rheumatology*, 41(7), pp. 1385–1394. doi: 10.3899/jrheum.130642.
- White, D. K. *et al.* (2015) 'Daily walking and the risk of incident functional limitation in knee OA: An observational study', 66(9), pp. 1328–1336. doi: 10.1002/acr.22362.Daily.
- Xhaferi, E. *et al.* (2017) 'Osteoarthritis risk factors and clinical features', (April).